



IDAHO DEPARTMENT OF
HEALTH & WELFARE

C. L. "BUTCH" OTTER – Governor
RICHARD M. ARMSTRONG – Director

DEBBY RANSOM, R.N., R.H.I.T – Chief
BUREAU OF FACILITY STANDARDS
3232 Elder Street
P.O. Box 83720
Boise, Idaho 83720-0036
PHONE: (208) 334-6626
FAX: (208) 364-1888

June 9, 2009

Tom Whittemore
Communicare, Inc #7 Cougar
40 West Franklin Road, Suite F
Meridian, ID 83642

RE: Communicare, Inc #7 Cougar, provider #13G072

Dear Mr. Whittemore:

This is to advise you of the findings of the Medicaid/Licensure survey of Communicare, Inc #7 Cougar, which was conducted on June 4, 2009.

Enclosed is your copy of the Statement of Deficiencies/Plan of Correction Form CMS-2567, which states that no deficiencies were noted at the time of the survey.

Thank you for the courtesies extended to us during our visit. If you have questions, please call this office at (208) 334-6626.

Sincerely,

MATT HAUSER
Health Facility Surveyor
Non-Long Term Care

NICOLE WISENOR
Co-Supervisor
Non-Long Term Care

MH/mlw
Enclosure

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/04/2009
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 13G072	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/04/2009
NAME OF PROVIDER OR SUPPLIER COMMUNICARE, INC #7 COUGAR			STREET ADDRESS, CITY, STATE, ZIP CODE 2903 & 2907 COUGAR AVENUE NAMPA, ID 83686		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
W 000	INITIAL COMMENTS Communicare Inc.- Cougar, is in compliance with the requirements of 42 CFR 483 Subpart I, Conditions of Participation: Intermediate Care Facilities for Persons with Mental Retardation. The survey was conducted by: Matt Hauser, QMRP, Team Leader	W 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Bureau of Facility Standards

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 13G072	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 06/04/2009
NAME OF PROVIDER OR SUPPLIER COMMUNICARE, INC #7 COUGAR		STREET ADDRESS, CITY, STATE, ZIP CODE 2903 & 2907 COUGAR AVENUE NAMPA, ID 83686		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
M 000	<p>16.03.11 Initial Comments</p> <p>Communicare Inc.- Cougar, is in compliance with the requirements of Idaho Department of Health and Welfare Rules, Title 03, Chapter 11, "Rules Governing Intermediate Care Facilities for the Mentally Retarded (ICF/MR)."</p> <p>The survey was conducted by: Matthew Hauser, QMRP, Team Leader</p>	M 000		

Bureau of Facility Standards

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

6899

BTCZ11

If continuation sheet 1 of 1